

GBAS Antibody (Center)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP20821c**Specification**

GBAS Antibody (Center) - Product Information

Application	WB,E
Primary Accession	O75323
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	33743

GBAS Antibody (Center) - Additional Information**Gene ID** 2631**Other Names**

Protein NipSnap homolog 2, NipSnap2, Glioblastoma-amplified sequence, GBAS, NIPSNAP2

Target/Specificity

This GBAS antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 176-210 amino acids from the Central region of human GBAS.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GBAS Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

GBAS Antibody (Center) - Protein Information**Name** NIPSNAP2 ([HGNC:4179](#))**Synonyms** GBAS**Function** May act as a positive regulator of L-type calcium channels.

Cellular Location

Cytoplasm {ECO:0000250|UniProtKB:O55126}. Mitochondrion outer membrane


Tissue Location

Widely expressed. Most abundant in heart and skeletal muscle

GBAS Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GBAS Antibody (Center) - Images

Western blot analysis of lysate from human skeletal muscle tissue lysate, using GBAS Antibody (Center)(Cat. #AP20821c). AP20821c was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 35ug.

GBAS Antibody (Center) - References

Wang X.-Y.,et al.Genomics 49:448-451(1998).
Seroussi E.,et al.Gene 212:13-20(1998).
Kalnine N.,et al.Submitted (OCT-2004) to the EMBL/GenBank/DDBJ databases.
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Ebert L.,et al.Submitted (MAY-2004) to the EMBL/GenBank/DDBJ databases.

GBAS Antibody (Center) - Citations

- [Mitochondrial proteins NIP-SNAP-1 and -2 are a target for the immunomodulatory activity of clarithromycin, which involves NF- \$\kappa\$ B-mediated cytokine production.](#)

