

Mouse Erbb3 Antibody (P1076)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21398a

Specification

Mouse Erbb3 Antibody (P1076) - Product Information

Application WB,E
Primary Accession Q61526
Reactivity Mouse
Host Rabbit
Clonality polyclonal
Isotype Rabbit IgG
Calculated MW 147613

Mouse Erbb3 Antibody (P1076) - Additional Information

Gene ID 13867

Other Names

Receptor tyrosine-protein kinase erbB-3, Glial growth factor receptor, Proto-oncogene-like protein c-ErbB-3, Erbb3

Target/Specificity

This Mouse Erbb3 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 1076-1110 amino acids from the region of Mouse Erbb3.

Dilution

WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Erbb3 Antibody (P1076) is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Erbb3 Antibody (P1076) - Protein Information

Name Erbb3

Function Tyrosine-protein kinase that plays an essential role as cell surface receptor for neuregulins. Binds to neuregulin-1 (NRG1) and is activated by it; ligand-binding increases phosphorylation on tyrosine residues and promotes its association with the p85 subunit of



Tel: 858.875.1900 Fax: 858.875.1999

phosphatidylinositol 3-kinase. May also be activated by CSPG5. Involved in the regulation of myeloid cell differentiation.

Cellular Location

Membrane; Single-pass type I membrane protein

Tissue Location


In the muscle, expression localizes to the synaptic sites of muscle fibers

Mouse Erbb3 Antibody (P1076) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Mouse Erbb3 Antibody (P1076) - Images



Anti-Erbb3 Antibody (P1076)at 1:2000 dilution + mouse lung lysates Lysates/proteins at 20 μg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size: 148 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Mouse Erbb3 Antibody (P1076) - Background

Binds and is activated by neuregulins and NTAK. May also be activated by CSPG5.

Mouse Erbb3 Antibody (P1076) - References

Yamauchi J., et al. Submitted (JUL-2004) to the EMBL/GenBank/DDBJ databases. Moscoso L.M., et al. Dev. Biol. 172:158-169(1995). Kwon H.S., et al.J. Biol. Chem. 288:26357-26371(2013).

