

**ZNF280A Antibody (Center)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP21693c****Specification**

---

**ZNF280A Antibody (Center) - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | WB,E                   |
| Primary Accession | <a href="#">P59817</a> |
| Reactivity        | Human                  |
| Host              | Rabbit                 |
| Clonality         | polyclonal             |
| Isotype           | Rabbit IgG             |
| Calculated MW     | 60584                  |

**ZNF280A Antibody (Center) - Additional Information****Gene ID** 129025**Other Names**

Zinc finger protein 280A, 3'OY111, Suppressor of hairy wing homolog 1, Zinc finger protein 636, ZNF280A, SUHW1, ZNF280, ZNF636

**Target/Specificity**

This ZNF280A antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 262-294 amino acids from the Central region of human ZNF280A.

**Dilution**

WB~~1:2000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

ZNF280A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

**ZNF280A Antibody (Center) - Protein Information****Name** ZNF280A**Synonyms** SUHW1, ZNF280, ZNF636**Function** May function as a transcription factor.


**Cellular Location**

Nucleus.

**ZNF280A Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**ZNF280A Antibody (Center) - Images**

Anti-ZNF280A Antibody (Center) at 1:2000 dilution + K562 whole cell lysate. Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 61 kDa. Blocking/Dilution buffer: 5% NFDM/TBST.

**ZNF280A Antibody (Center) - Background**

May function as a transcription factor.

**ZNF280A Antibody (Center) - References**

Kawasaki K., et al. Genome Res. 7:250-261(1997).  
Dunham I., et al. Nature 402:489-495(1999).