

Mib1/Mindbomb Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP2172a

Specification

Mib1/Mindbomb Antibody (N-term) - Product Information

Application IF, WB, IHC-P,E

Primary Accession <u>Q86YT6</u>

Other Accession Q6GNY1, Q80SY4, Q804S5

Reactivity Human

Predicted Zebrafish, Mouse, Xenopus

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 110136
Antigen Region 13-42

Mib1/Mindbomb Antibody (N-term) - Additional Information

Gene ID 57534

Other Names

E3 ubiquitin-protein ligase MIB1, 632-, DAPK-interacting protein 1, DIP-1, Mind bomb homolog 1, Zinc finger ZZ type with ankyrin repeat domain protein 2, MIB1, DIP1, KIAA1323, ZZANK2

Target/Specificity

This Mib1/Mindbomb antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 13-42 amino acids from the N-terminal region of human Mib1/Mindbomb.

Dilution

IF~~1:20~100 WB~~1:1000 IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mib1/Mindbomb Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Mib1/Mindbomb Antibody (N-term) - Protein Information



Name MIB1

Synonyms DIP1, KIAA1323, ZZANK2

Function E3 ubiquitin-protein ligase that mediates ubiquitination of Delta receptors, which act as ligands of Notch proteins. Positively regulates the Delta-mediated Notch signaling by ubiquitinating the intracellular domain of Delta, leading to endocytosis of Delta receptors. Probably mediates ubiquitination and subsequent proteasomal degradation of DAPK1, thereby antagonizing anti-apoptotic effects of DAPK1 to promote TNF-induced apoptosis (By similarity). Involved in ubiquitination of centriolar satellite CEP131, CEP290 and PCM1 proteins and hence inhibits primary cilium formation in proliferating cells. Mediates 'Lys-63'-linked polyubiquitination of TBK1, which probably participates in kinase activation.

Cellular Location

Cytoplasm. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriolar satellite. Cell membrane. Note=Localizes to the plasma membrane (By similarity) According to PubMed:15048887, it is mitochondrial, however such localization remains unclear. Displaced from centriolar satellites in response to cellular stress, such as ultraviolet light (UV) radiation or heat shock.

Tissue Location


Widely expressed at low level. Expressed at higher level in spinal cord, ovary, whole brain, and all specific brain regions examined.

Mib1/Mindbomb Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Mib1/Mindbomb Antibody (N-term) - Images




Immunofluorescent staining of Hela cells incubated with MIB Antibody (N-term) (Cat # AP2172a) at a dilution of 1:20. Data courtesy of Dr. Vyacheslav Akimov, University of Southern Denmark.





MIB Antibody (K28) (Cat. #AP2172a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the MIB antibody detected the MIB protein (arrow).



Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by AEC staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma; HC = hepatocarcinoma.

Mib1/Mindbomb Antibody (N-term) - Background

MIB is an E3 ubiquitin-protein ligase that mediates ubiquitination of Delta receptors, which act as ligands of Notch proteins. This protein positively regulates the Delta-mediated Notch signaling by ubiquitinating the intracellular domain of Delta, leading to endocytosis of Delta receptors. MIB probably mediates ubiquitination and subsequent proteasomal degradation of DAPK1, thereby antagonizing anti-apoptotic effects of DAPK1 to promote TNF-induced apoptosis.

Mib1/Mindbomb Antibody (N-term) - References

Itoh, M., et al., Dev. Cell 4(1):67-82 (2003). Jin, Y., et al., J. Biol. Chem. 277(49):46980-46986 (2002).