

FGF12 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21840c

Specification

FGF12 Antibody (Center) - Product Information

Application WB,E
Primary Accession P61328

Reactivity Human, Mouse, Rat

Host Rabbit
Clonality polyclonal
Isotype Rabbit IgG
Calculated MW 27399

FGF12 Antibody (Center) - Additional Information

Gene ID 2257

Other Names

Fibroblast growth factor 12, FGF-12, Fibroblast growth factor homologous factor 1, FHF-1, Myocyte-activating factor, FGF12, FGF12B, FHF1

Target/Specificity

This FGF12 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 159-191 amino acids from the Central region of human FGF12.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FGF12 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

FGF12 Antibody (Center) - Protein Information

Name FGF12

Synonyms FGF12B, FHF1

Function Involved in nervous system development and function. Involved in the positive



regulation of voltage-gated sodium channel activity. Promotes neuronal excitability by elevating the voltage dependence of neuronal sodium channel SCN8A fast inactivation.

Cellular Location Nucleus.

Tissue Location


Brain, eye and testis; highly expressed in embryonic retina, olfactory epithelium, olfactory bulb, and in a segmental pattern of the body wall; in adult olfactory bulb, less in cerebellum, deep cerebellar nuclei, cortex and multiple midbrain structures

FGF12 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

FGF12 Antibody (Center) - Images




All lanes : Anti-FGF12 Antibody (Center) at 1:1000 dilution Lane 1: human brain lysate Lane 2: mouse brain lysate Lane 3: rat brain lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 27 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

FGF12 Antibody (Center) - Background

Probably involved in nervous system development and function.

FGF12 Antibody (Center) - References





Smallwood P.M.,et al.Proc. Natl. Acad. Sci. U.S.A. 93:9850-9857(1996). Kok L.D.S.,et al.Biochem. Biophys. Res. Commun. 255:717-721(1999). Ota T.,et al.Nat. Genet. 36:40-45(2004). Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.