

### **CDH13 Antibody (Center)**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21902c

## **Specification**

### CDH13 Antibody (Center) - Product Information

Application WB,E
Primary Accession P55290

Other Accession <u>Q3B7N0</u>, <u>Q9WTR5</u>, <u>Q5R5W6</u>

Reactivity Human, Mouse

Predicted Bovine
Host Rabbit
Clonality polyclonal
Isotype Rabbit IgG
Calculated MW 78287

### CDH13 Antibody (Center) - Additional Information

#### **Gene ID 1012**

#### **Other Names**

Cadherin-13, Heart cadherin, H-cadherin, P105, Truncated cadherin, T-cad, T-cadherin, CDH13, CDHH

### Target/Specificity

This CDH13 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 222-256 amino acids from the Central region of human CDH13.

### **Dilution**

WB~~1:2000

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


# **Precautions**

CDH13 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

### CDH13 Antibody (Center) - Protein Information

### Name CDH13

# **Synonyms CDHH**





**Function** Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. May act as a negative regulator of neural cell growth.

#### **Cellular Location**

Cell membrane; Lipid-anchor, GPI-anchor.

#### **Tissue Location**


Highly expressed in heart. In the CNS, expressed in cerebral cortex, medulla, hippocampus, amygdala, thalamus and substantia nigra. No expression detected in cerebellum or spinal cord

# CDH13 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


# CDH13 Antibody (Center) - Images



All lanes: Anti-CDH13 Antibody (Center) at 1:2000 dilution Lane 1: human heart lysate Lane 2: human brain lysate Lane 3: mouse heart lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 78 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

# CDH13 Antibody (Center) - Background

Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. May act as a negative regulator of neural cell growth.





# CDH13 Antibody (Center) - References

Tanihara H.,et al.Cell Adhes. Commun. 2:15-26(1994). Lee S.W.,et al.Nat. Med. 2:776-782(1996). Sato M.,et al.Hum. Genet. 103:96-101(1998). Liu Q.-R.,et al.Submitted (OCT-2007) to the EMBL/GenBank/DDBJ databases. Ota T.,et al.Nat. Genet. 36:40-45(2004).