

CSRNP1 Antibody (C-Term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP22135b**Specification**

CSRNP1 Antibody (C-Term) - Product Information

Application	WB,E
Primary Accession	Q96S65
Other Accession	Q5R638
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	63508

CSRNP1 Antibody (C-Term) - Additional Information**Gene ID** 64651**Other Names**

Cysteine/serine-rich nuclear protein 1, CSRNP-1, Axin-1 up-regulated gene 1 protein, Protein URAX1, TGF-beta-induced apoptosis protein 3, TAIP-3, CSRNP1, AXUD1, TAIP3

Target/Specificity

This CSRNP1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 501-533 amino acids from human CSRNP1.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CSRNP1 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

CSRNP1 Antibody (C-Term) - Protein Information**Name** CSRNP1**Synonyms** AXUD1, TAIP3

Function Binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activator activity (By similarity). May have a tumor-suppressor function. May play a role in apoptosis.

Cellular Location

Nucleus.

Tissue Location


Ubiquitous. Most abundantly expressed in lung, placenta, skeletal muscle, pancreas and leukocyte. Frequently down-regulated in lung, kidney, liver and colon cancers compared with their corresponding normal tissues.

CSRNP1 Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CSRNP1 Antibody (C-Term) - Images



Anti-CSRNP1 Antibody (C-Term) at 1:1000 dilution + human lung whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 64 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

CSRNP1 Antibody (C-Term) - Background

Binds to the consensus sequence 5'-AGAGTG-3' and has transcriptional activator activity (By similarity). May have a tumor-suppressor function. May play a role in apoptosis.

CSRNP1 Antibody (C-Term) - References

Ishiguro H.,et al.Oncogene 20:5062-5066(2001).
Akiyama N.,et al.Submitted (JUN-2001) to the EMBL/GenBank/DDBJ databases.
Muzny D.M.,et al.Nature 440:1194-1198(2006).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).