

## PHPT1 Antibody( C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP2721b

## **Specification**

# PHPT1 Antibody( C-term) - Product Information

WB, IHC-P,E Application O9NRX4 **Primary Accession** Reactivity Human **Rabbit** Host Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 13833 Antigen Region 88-117

## PHPT1 Antibody( C-term) - Additional Information

#### **Gene ID 29085**

## **Other Names**

14 kDa phosphohistidine phosphatase, 313-, Phosphohistidine phosphatase 1, Protein janus-A homolog, PHPT1, PHP14

#### Target/Specificity

This PHPT1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 88-117 amino acids from the C-terminal region of human PHPT1.

#### **Dilution**

WB~~1:1000 IHC-P~~1:10~50

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

## **Precautions**

PHPT1 Antibody( C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## PHPT1 Antibody( C-term) - Protein Information

### Name PHPT1

Synonyms PHP14





Function Exhibits phosphohistidine phosphatase activity.

Cellular Location Cytoplasm.

#### **Tissue Location**


Expressed abundantly in heart and skeletal muscle.

# PHPT1 Antibody( C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# PHPT1 Antibody( C-term) - Images



Western blot analysis of PHPT1 (arrow) using rabbit polyclonal PHPT1 Antibody (Human C-term) (Cat#.AP2127b). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected with the PHPT1 gene (Lane 2) (Origene Technologies).





Formalin-fixed and paraffin-embedded human skeletal muscle tissue reacted with PHPT1 Antibody (N-term) (Cat.#AP2721b), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

## PHPT1 Antibody( C-term) - Background

PHPT1 is an EDTA-insensitive phosphohistidine phosphatase that catalyzes the dephosphorylation of phosphopeptide I (Ek etal., 2002 [PubMed 12383260]).[supplied by OMIM].

# PHPT1 Antibody( C-term) - References

Lim, J., Cell 125 (4), 801-814 (2006) Mehrle, A., Nucleic Acids Res. 34 (DATABASE ISSUE), D415-D418 (2006) Ma, R., Biochem. Biophys. Res. Commun. 337 (3), 887-891 (2005)