

FCGR1A Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP4930C

Specification

FCGR1A Antibody (Center) - Product Information

Application WB, IHC-P, FC,E

Primary Accession
Reactivity
Human
Host
Clonality
Isotype
Calculated MW
Antigen Region
P12314
Human
Rabbit
Polyclonal
Rabbit IgG
217-245

FCGR1A Antibody (Center) - Additional Information

Gene ID 2209

Other Names

High affinity immunoglobulin gamma Fc receptor I, IgG Fc receptor I, Fc-gamma RI, FcRI, Fc-gamma RIA, FcgammaRIa, CD64, FCGR1A, FCG1, FCGR1, IGFR1

Target/Specificity

This FCGR1A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 217-245 amino acids from the Central region of human FCGR1A.

Dilution

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FCGR1A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

FCGR1A Antibody (Center) - Protein Information

Name FCGR1A





Synonyms FCG1, FCGR1, IGFR1

Function High affinity receptor for the Fc region of immunoglobulins gamma. Functions in both innate and adaptive immune responses. Mediates IgG effector functions on monocytes triggering antibody-dependent cellular cytotoxicity (ADCC) of virus-infected cells.

Cellular Location

Cell membrane; Single-pass type I membrane protein Note=Stabilized at the cell membrane through interaction with FCER1G

Tissue Location


Monocyte/macrophage specific.

FCGR1A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

FCGR1A Antibody (Center) - Images




Western blot analysis of FCGR1A Antibody (Center) (Cat. #AP4930c) in NCI-H460 cell line lysates (35ug/lane). FCGR1A (arrow) was detected using the purified Pab.





FCGR1A Antibody (Center) (Cat. #AP4930c) IHC analysis in formalin fixed and paraffin embedded brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FCGR1A Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



FCGR1A Antibody (Center) (Cat. #AP4930c) flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

FCGR1A Antibody (Center) - Background

FCGR1A encodes a protein that plays an important role in the immune response. This protein is a high-affinity Fc-gamma receptor. The gene is one of three related gene family members located on chromosome 1.

FCGR1A Antibody (Center) - References

Poon, I.K., et al. Blood 115(12):2473-2482(2010) Jung, S.T., et al. Proc. Natl. Acad. Sci. U.S.A. 107(2):604-609(2010) Hulse, K.E., et al. J. Allergy Clin. Immunol. 125(1):247-256(2010)