

GGNBP2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5367b

Specification

GGNBP2 Antibody (C-term) - Product Information

Application WB, IHC-P, FC,E

Primary Accession <u>O9H3C7</u>

Other Accession Q6GVH5, Q5SV77, Q6GVH4, NP 079111.1

Reactivity Human

Predicted Chicken, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 79086
Antigen Region 647-676

GGNBP2 Antibody (C-term) - Additional Information

Gene ID 79893

Other Names

Gametogenetin-binding protein 2, Laryngeal carcinoma-related protein 1, Protein ZNF403, GGNBP2, LCRG1, LZK1, ZNF403

Target/Specificity

This GGNBP2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 647-676 amino acids from the C-terminal region of human GGNBP2.

Dilution

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GGNBP2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

GGNBP2 Antibody (C-term) - Protein Information



Name GGNBP2

Synonyms LCRG1, LZK1, ZNF403

Function May be involved in spermatogenesis.

Cellular Location

Cytoplasmic vesicle. Note=Associated with vesicular structures.

Tissue Location


Expressed in heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas. Expressed more abundantly in heart, pancreas and skeletal muscle.

GGNBP2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

GGNBP2 Antibody (C-term) - Images




Anti-GGNBP2 Antibody (C-term) at 1:1000 dilution + Jurkat whole cell lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 79 kDa Blocking/Dilution buffer: 5% NFDM/TBST.





GGNBP2 Antibody (C-term) (Cat. #AP5367b) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the GGNBP2 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



GGNBP2 Antibody (C-term) (Cat. #AP5367b) flow cytometric analysis of Jurkat cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

GGNBP2 Antibody (C-term) - References

Zhang, J., et al. FEBS Lett. 579(2):559-566(2005) Li, Y., et al. Cancer Lett. 209(1):75-85(2004) Ohbayashi, T., et al. FEBS Lett. 508(3):341-344(2001)