

TMEM134 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP5460a**Specification**

TMEM134 Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	O9H6X4
Other Accession	O8R0J4 , O05B54 , NP_001072118.1
Reactivity	Human, Mouse
Predicted	Bovine
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	21586
Antigen Region	21-50

TMEM134 Antibody (N-term) - Additional Information**Gene ID** 80194**Other Names**

Transmembrane protein 134, TMEM134

Target/Specificity

This TMEM134 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 21-50 amino acids from the N-terminal region of human TMEM134.

Dilution

WB~~1:1000

IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TMEM134 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TMEM134 Antibody (N-term) - Protein Information**Name** TMEM134


Cellular Location

Membrane; Multi-pass membrane protein. Cytoplasm, perinuclear region


TMEM134 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TMEM134 Antibody (N-term) - Images

TMEM134 Antibody (N-term) (Cat.#AP5460a) western blot analysis in mouse spleen tissue lysates (35ug/lane). This demonstrates the TMEM134 antibody detected TMEM134 protein (arrow).



TMEM134 Antibody (N-term) (Cat. #AP5460a) immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the TMEM134 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

TMEM134 Antibody (N-term) - Background

The function of TMEM134 remains unknown.

TMEM134 Antibody (N-term) - References

Strausberg, R.L., et al. Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903(2002)

Yu, W., et al. Genome Res. 7(4):353-358(1997)

Andersson, B., et al. Anal. Biochem. 236(1):107-113(1996)