10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

RNF208 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP5743c

Specification

RNF208 Antibody (Center) - Product Information

Application	**WB, IHC-P, FC,E**
Primary Accession	Q9H0X6
Other Accession	NP_112587.2
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Antigen Region	**86-115**

RNF208 Antibody (Center) - Additional Information

Gene ID 727800

Other Names
RING finger protein 208, RNF208

Target/Specificity
This RNF208 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 86-115 amino acids from the Central region of human RNF208.

Dilution
WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
RNF208 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

RNF208 Antibody (Center) - Protein Information

Name RNF208


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

RNF208 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

RNF208 Antibody (Center) - Images




Western blot analysis of lysate from A431 cell line, using RNF208 Antibody (Center)(Cat. #AP5743c). AP5743c was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug per lane.



RNF208 Antibody (Center) (Cat. #AP5743c) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the RNF208 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



RNF208 Antibody (Center) (Cat. #AP5743c) flow cytometric analysis of HepG2 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

RNF208 Antibody (Center) - References

Simpson, J.C., et al. EMBO Rep. 1(3):287-292(2000)