10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ABCB7 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP6114a

Specification

ABCB7 Antibody (C-term) - Product Information

Application	**WB, IHC-P,E**
Primary Accession	O75027
Other Accession	Q704E8, Q61102, NP_004290
Reactivity	**Human**
Predicted	**Mouse, Rat**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**82641**
Antigen Region	**718-746**

ABCB7 Antibody (C-term) - Additional Information

Gene ID 22

Other Names
ATP-binding cassette sub-family B member 7, mitochondrial, ATP-binding cassette transporter 7, ABC transporter 7 protein, ABCB7, ABC7

Target/Specificity
This ABCB7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 718-746 amino acids from the C-terminal region of human ABCB7.

Dilution
WB~~1:1000
IHC-P~~1:50~100

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
ABCB7 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ABCB7 Antibody (C-term) - Protein Information

Name ABCB7 (HGNC:48)

Synonyms ABC7

Function Exports glutathione-coordinated iron-sulfur clusters such as [2Fe-2S]-(GS)4 cluster from the mitochondria to the cytosol in an ATP- dependent manner allowing the assembly of the cytosolic iron-sulfur (Fe/S) cluster-containing proteins and participates in iron homeostasis (PubMed:33157103, PubMed:17192393, PubMed:10196363). Moreover, through a functional complex formed of ABCB7, FECH and ABCB10, also plays a role in the cellular iron homeostasis, mitochondrial function and heme biosynthesis (PubMed:30765471). In cardiomyocytes, regulates cellular iron homeostasis and cellular reactive oxygen species (ROS) levels through its interaction with COX4I1 (By similarity). May also play a role in hematopoiesis (By similarity).


Cellular Location
Mitochondrion inner membrane {ECO:0000250|UniProtKB:P40416}; Multi-pass membrane protein {ECO:0000250|UniProtKB:P40416}

ABCB7 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ABCB7 Antibody (C-term) - Images



The anti-ABCB7 C-term Pab (Cat. #AP6114a) is used in Western blot to detect ABCB7 in Jurkat cell lysate.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma; HC = hepatocarcinoma.

ABCB7 Antibody (C-term) - Background

The membrane-associated protein ABCB7 is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This gene encodes a half-transporter involved in the transport of heme from the mitochondria to the cytosol. With iron/sulfur cluster precursors as its substrates, this protein may play a role in metal homeostasis. Mutations in this gene have been implicated in X-linked sideroblastic anemia with ataxia.

ABCB7 Antibody (C-term) - References

Allikmets, R., et al., Hum. Mol. Genet. 8(5):743-749 (1999).
Csere, P., et al., FEBS Lett. 441(2):266-270 (1998).
Mao, M., et al., Proc. Natl. Acad. Sci. U.S.A. 95(14):8175-8180 (1998).
Shimada, Y., et al., J. Hum. Genet. 43(2):115-122 (1998).
Savary, S., et al., Genomics 41(2):275-278 (1997).