

#### HMX2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7266b

#### **Specification**

## HMX2 Antibody (C-term) - Product Information

Application Primary Accession Other Accession

Reactivity Predicted Host Clonality Isotype Antigen Region WB,E <u>P43687</u> <u>O8JJ64</u>, <u>P42581</u>, <u>A6NHT5</u>, <u>O504H8</u>, <u>O57601</u>, <u>A2RU54</u>, <u>NP\_666110</u> Mouse Human, Chicken, Zebrafish, Xenopus Rabbit Polyclonal Rabbit IgG 149-180

### HMX2 Antibody (C-term) - Additional Information

Gene ID 15372

**Other Names** Homeobox protein HMX2, Homeobox protein Nkx-52, Hmx2, Nkx-52, Nkx5-2

Target/Specificity

This HMX2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 149-180 amino acids of mouse HMX2.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** 

HMX2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

#### HMX2 Antibody (C-term) - Protein Information

Name Hmx2

Synonyms Nkx-5.2, Nkx5-2



**Function** Transcription factor involved in specification of neuronal cell types and which is required for inner ear and hypothalamus development.

Cellular Location Nucleus.

**Tissue Location** 


Expressed in the developing CNS, including a specific expression in vestibular structures throughout inner ear development.

## HMX2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

### HMX2 Antibody (C-term) - Images



Western blot analysis of lysate from mouse liver tissue lysate, using Hmx2 Antibody(C-term)(Cat. #AP7266B). AP7266B was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 20ug.

## HMX2 Antibody (C-term) - Background

Homeobox genes represent a class of transcription factors that play key roles in the regulation of embryogenesis and development. Here we report the identification of a homeobox-containing gene family that is highly conserved at both the nucleotide and amino acid levels in a diverse number of species. These species encompass both vertebrate and invertebrate phylogenies, ranging from Homo sapiens to Drosophila melanogaster.



# HMX2 Antibody (C-term) - References

Wang, W., Dev. Cell 7 (3), 439-453 (2004)