

APOL1 Antibody (C-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP7361B**Specification**

APOL1 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	O14791
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	43974
Antigen Region	369-398

APOL1 Antibody (C-term) - Additional Information**Gene ID** 8542**Other Names**

Apolipoprotein L1, Apolipoprotein L, Apo-L, ApoL, Apolipoprotein L-I, ApoL-I, APOL1, APOL

Target/Specificity

This APOL1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 369-398 amino acids from the C-terminal region of human APOL1.

Dilution

WB~~1:1000

IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

APOL1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

APOL1 Antibody (C-term) - Protein Information**Name** APOL1**Synonyms** APOL

Function May play a role in lipid exchange and transport throughout the body. May participate in reverse cholesterol transport from peripheral cells to the liver.

Cellular Location

Secreted.

Tissue Location


Plasma. Found on APOA-I-containing high density lipoprotein (HDL3). Expressed in pancreas, lung, prostate, liver, placenta and spleen

APOL1 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

APOL1 Antibody (C-term) - Images



Western blot analysis of APOL1 Antibody (C-term) (Cat.# AP7361b) in SK-Br-3 cell line lysates (35ug/lane). APOL1 (arrow) was detected using the purified Pab.



APOL1 Antibody (C-term) (Cat.# AP7361b) IHC analysis in formalin fixed and paraffin embedded human Prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the APOL1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

APOL1 Antibody (C-term) - Background

APOL1 is a secreted high density lipoprotein which binds to apolipoprotein A-I. Apolipoprotein A-I is a relatively abundant plasma protein and is the major apoprotein of HDL. It is involved in the formation of most cholesteryl esters in plasma and also promotes efflux of cholesterol from cells. This apolipoprotein L family member may play a role in lipid exchange and transport throughout the body, as well as in reverse cholesterol transport from peripheral cells to the liver.

APOL1 Antibody (C-term) - References

Li,Q., Clin. Chim. Acta 403 (1-2), 152-155 (2009)
Zhaorigetu,S., Autophagy 4 (8), 1079-1082 (2008)