

FKBP10 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7383a

Specification

FKBP10 Antibody (N-term) - Product Information

Application WB, IHC-P, FC,E

Primary Accession
Reactivity
Human
Host
Clonality
Polyclonal
Isotype
Antigen Region

O96AY3
Human
Rabbit
Polyclonal
Rabbit IgG

FKBP10 Antibody (N-term) - Additional Information

Gene ID 60681

Other Names

Peptidyl-prolyl cis-trans isomerase FKBP10, PPlase FKBP10, 65 kDa FK506-binding protein, 65 kDa FKBP, FKBP-65, FK506-binding protein 10, FKBP-10, Immunophilin FKBP65, Rotamase, FKBP10, FKBP65

Target/Specificity

This FKBP10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 57-87 amino acids of human FKBP10.

Dilution

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FKBP10 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

FKBP10 Antibody (N-term) - Protein Information

Name FKBP10



Synonyms FKBP65

Function PPlases accelerate the folding of proteins during protein synthesis.

Cellular Location


Endoplasmic reticulum lumen {ECO:0000255|PROSITE- ProRule:PRU10138}

FKBP10 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FKBP10 Antibody (N-term) - Images




Western blot analysis of FKBP10 Antibody (N-term) (Cat. #AP7383a) in CEM cell line lysates (35ug/lane). FKBP10 (arrow) was detected using the purified Pab.



FKBP10 Antibody (N-term) (Cat. #AP7383a) IHC analysis in formalin fixed and paraffin embedded mouse brain tissue followed by peroxidase conjugation of the secondary antibody and DAB



staining. This data demonstrates the use of the FKBP10 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



FKBP10 Antibody (N-term) (Cat. #AP7383a) flow cytometric analysis of NCI-H460 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

FKBP10 Antibody (N-term) - Background

The protein belongs to the FKBP-type peptidyl-prolyl cis/trans isomerase family. It is located in endoplasmic reticulum and acts as molecular chaperones.

FKBP10 Antibody (N-term) - References

Ishikawa,Y., J. Biol. Chem. 283 (46), 31584-31590 (2008) Foster,L.J., J. Proteome Res. 5 (1), 64-75 (2006) Zhang,H., Nat. Biotechnol. 21 (6), 660-666 (2003)