

LTBP1 Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7780A

Specification

LTBP1 Antibody (N-term) - Product Information

Application IHC-P,E
Primary Accession Q14766
Reactivity Human
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Antigen Region 295-323

LTBP1 Antibody (N-term) - Additional Information

Gene ID 4052

Other Names

Latent-transforming growth factor beta-binding protein 1, LTBP-1, Transforming growth factor beta-1-binding protein 1, TGF-beta1-BP-1, LTBP1

Target/Specificity

This LTBP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 295-323 amino acids from the N-terminal region of human LTBP1.

Dilution

IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LTBP1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

LTBP1 Antibody (N-term) - Protein Information

Name LTBP1 (HGNC:6714)

Function Key regulator of transforming growth factor beta (TGFB1, TGFB2 and TGFB3) that controls TGF-beta activation by maintaining it in a latent state during storage in extracellular space (PubMed: 2022183, PubMed: 8617200, PubMed: 8939931). Associates specifically via disulfide



bonds with the Latency-associated peptide (LAP), which is the regulatory chain of TGF-beta, and regulates integrin-dependent activation of TGF-beta (PubMed:8617200, PubMed:8939931, PubMed:15184403). Outcompeted by LRRC32/GARP for binding to LAP regulatory chain of TGF-beta (PubMed:22278742).

Cellular Location

Secreted. Secreted, extracellular space, extracellular matrix

Tissue Location


Expressed in the aorta (at protein level) (PubMed:17293099). Isoform Long: Expressed in fibroblasts (PubMed:17293099).

LTBP1 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

LTBP1 Antibody (N-term) - Images



Formalin-fixed and paraffin-embedded human prostata carcinoma tissue reacted with LTBP1 antibody (N-term) (Cat.#AP7780a), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

LTBP1 Antibody (N-term) - Background

LTBP1 may be involved in the assembly, secretion and targeting of TGFB1 to sites at which it is stored and/or activated. This protein may play critical roles in controlling and directing the activity of TGFB1, and it may have a structural role in the extra cellular matrix (ECM).

LTBP1 Antibody (N-term) - References

Olofsson A., J. Biol. Chem. 270:31294-31297(1995) Kanzaki T., Cell 61:1051-1061(1990) Isogai Z., J.





Biol. Chem. 278:2750-2757(2003) Oklu R., Biochem. J. 352:601-610(2000)