

#### ACTN1 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP8512a

#### Specification

# ACTN1 Antibody (N-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB, IHC-P, FC,E <u>P12814</u> <u>O9Z1P2</u>, <u>O7TPR4</u>, <u>O2PFV7</u>, <u>O3B7N2</u> Human Bovine, Monkey, Mouse, Rat Rabbit Polyclonal Rabbit IgG 103058 1-30

### ACTN1 Antibody (N-term) - Additional Information

Gene ID 87

**Other Names** 

Alpha-actinin-1, Alpha-actinin cytoskeletal isoform, F-actin cross-linking protein, Non-muscle alpha-actinin-1, ACTN1

#### Target/Specificity

This ACTN1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human ACTN1.

**Dilution** WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

ACTN1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## ACTN1 Antibody (N-term) - Protein Information



## Name ACTN1

**Function** F-actin cross-linking protein which is thought to anchor actin to a variety of intracellular structures. This is a bundling protein.

**Cellular Location** 


Cytoplasm, cytoskeleton. Cytoplasm, myofibril, sarcomere, Z line. Cell membrane {ECO:0000250|UniProtKB:Q9Z1P2}. Cell junction {ECO:0000250|UniProtKB:Q9Z1P2}. Cell projection, ruffle {ECO:0000250|UniProtKB:Q7TPR4}. Note=Colocalizes with MYOZ2 and PPP3CA at the Z-line of heart and skeletal muscle. Colocalizes with PSD in membrane ruffles and central reticular structures {ECO:0000250|UniProtKB:Q7TPR4}

## ACTN1 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

#### ACTN1 Antibody (N-term) - Images




Western blot analysis of ACTN1 Antibody (N-term) (Cat. #AP8512a) in MDA-MB231 cell line lysates (35ug/lane). ACTN1 (arrow) was detected using the purified Pab.





Formalin-fixed and paraffin-embedded human breast carcinoma with ACTN1 Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of MDA-231 cells using ACTN1 Antibody (N-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

# ACTN1 Antibody (N-term) - Background

ACTN1 is a F-actin cross-linking protein which is thought to anchor actin to a variety of intracellular structures. This is a bundling protein.

## ACTN1 Antibody (N-term) - References

Zhang,Z., et.al., J. Biol. Chem. 281 (3), 1746-1754 (2006)