

OLIG3 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP8632c**Specification**

OLIG3 Antibody (Center) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	Q7RTU3
Other Accession	Q6PFG8
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	29358
Antigen Region	74-100

OLIG3 Antibody (Center) - Additional Information**Gene ID** 167826**Other Names**

Oligodendrocyte transcription factor 3, Oligo3, Class B basic helix-loop-helix protein 7, bHLHb7, Class E basic helix-loop-helix protein 20, bHLHe20, OLIG3, BHLHB7, BHLHE20

Target/Specificity

This OLIG3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 74-100 amino acids from the Central region of human OLIG3.

Dilution

WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

OLIG3 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

OLIG3 Antibody (Center) - Protein Information**Name** OLIG3

Synonyms BHLHB7, BHLHE20

Function May determine the distinct specification program of class A neurons in the dorsal part of the spinal cord and suppress specification of class B neurons.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00981}.

OLIG3 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

OLIG3 Antibody (Center) - Images




Western blot analysis of OLIG3 Antibody (Center) (Cat. #AP8632c) in mouse spleen tissue lysates (35ug/lane). OLIG3 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human brain tissue with OLIG3 Antibody (Center), which

was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



OLIG3 Antibody (Center) (Cat. #AP8632c) flow cytometric analysis of U251 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

OLIG3 Antibody (Center) - Background

OLIG3 may determine the distinct specification program of class A neurons in the dorsal part of the spinal cord and suppress specification of class B neurons.

OLIG3 Antibody (Center) - References

Muller, T., et al., Genes Dev. 19 (6), 733-743 (2005)