

FAM40A Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP9717c**Specification**

FAM40A Antibody (Center) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	Q5VSL9
Other Accession	Q8C079 , Q9GLZ5 , Q0P5J8
Reactivity	Human, Mouse
Predicted	Bovine, Monkey
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	352-381

FAM40A Antibody (Center) - Additional Information**Gene ID** 85369**Other Names**

Striatin-interacting protein 1, Protein FAM40A, STRIP1, FAM40A, KIAA1761

Target/Specificity

This FAM40A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 352-381 amino acids from the Central region of human FAM40A.

Dilution

WB~~1:1000
IHC-P~~1:10~50
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FAM40A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

FAM40A Antibody (Center) - Protein Information**Name** STRIP1

Synonyms FAM40A, KIAA1761

Function Plays a role in the regulation of cell morphology and cytoskeletal organization. Required in the cortical actin filament dynamics and cell shape.

Cellular Location


Cytoplasm. Note=Enriched on the plasma membrane

FAM40A Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


FAM40A Antibody (Center) - Images



FAM40A Antibody (Center) (Cat. #AP9717c) western blot analysis in mouse brain,liver tissue and Hela cell line lysates (35ug/lane).This demonstrates the FAM40A antibody detected the FAM40A protein (arrow).



FAM40A Antibody (Center) (Cat. #AP9717c) IHC analysis in formalin fixed and paraffin embedded brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FAM40A Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



FAM40A Antibody (Center) (Cat. #AP9717c) flow cytometric analysis of HeLa cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

FAM40A Antibody (Center) - References

Goudreault, M., et al. Mol. Cell Proteomics 8(1):157-171(2009)
Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)

FAM40A Antibody (Center) - Citations

- [Striatin-1 is a B subunit of protein phosphatase PP2A that regulates dendritic arborization and spine development in striatal neurons.](#)