

TAB3 Antibody
Catalog # ASC10268**Specification****TAB3 Antibody - Product Information**

Application	IHC
Primary Accession	Q8N5C8
Other Accession	NP_690000 , 98991767
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application Notes	TAB3 antibody can be used for detection of TAB3 by immunohistochemistry at 5 µg/mL.

TAB3 Antibody - Additional InformationGene ID **257397****Other Names**

TAB3 Antibody: NAP1, MAP3K7IP3, TGF-beta-activated kinase 1 and MAP3K7-binding protein 3, Mitogen-activated protein kinase kinase kinase 7-interacting protein 3, TAB-3, TGF-beta activated kinase 1/MAP3K7 binding protein 3

Target/Specificity

TAB3; TAB3 antibody is human specific. TAB3 antibody is predicted not to cross-react with other TAB proteins.

Reconstitution & Storage

TAB3 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

TAB3 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

TAB3 Antibody - Protein Information

Name TAB3 {ECO:0000303|PubMed:14633987, ECO:0000312|HGNC:HGNC:30681}

Function

Adapter required to activate the JNK and NF-kappa-B signaling pathways through the specific recognition of 'Lys-63'-linked polyubiquitin chains by its RanBP2-type zinc finger (NZF) (PubMed:14633987, PubMed:14766965, PubMed:15327770, PubMed:22158122). Acts as an adapter linking MAP3K7/TAK1 and TRAF6 to 'Lys-63'-linked polyubiquitin chains (PubMed:<a

[14633987](http://www.uniprot.org/citations/14633987), PubMed: [14766965](http://www.uniprot.org/citations/14766965), PubMed: [15327770](http://www.uniprot.org/citations/15327770), PubMed: [22158122](http://www.uniprot.org/citations/22158122), PubMed: [36593296](http://www.uniprot.org/citations/36593296)). The RanBP2-type zinc finger (NZF) specifically recognizes Lys-63'-linked polyubiquitin chains unanchored or anchored to the substrate proteins such as RIPK1/RIP1 and RIPK2: this acts as a scaffold to organize a large signaling complex to promote autophosphorylation of MAP3K7/TAK1, and subsequent activation of I-kappa-B-kinase (IKK) core complex by MAP3K7/TAK1 (PubMed: [15327770](http://www.uniprot.org/citations/15327770), PubMed: [18079694](http://www.uniprot.org/citations/18079694), PubMed: [22158122](http://www.uniprot.org/citations/22158122)).

Tissue Location


Widely expressed. Constitutively overexpressed in certain tumor tissues. [Isoform 2]: Minor transcript.

TAB3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TAB3 Antibody - Images



Immunohistochemistry of TAB3 in human kidney tissue with TAB3 antibody at 5 µg/mL.

TAB3 Antibody - Background

TAB3 Antibody: TAB3 functions in the NF-kappaB signal transduction pathway. It and the similar and functionally redundant protein TAB2, form a ternary complex with the protein kinase TAK1 and either TRAF2 or TRAF6 in response to stimulation with the pro-inflammatory cytokines TNF or IL-1. Subsequent TAK1 kinase activity triggers a signaling cascade leading to activation of the NF-kappaB transcription factor. Recent experiments have shown that TAB2 and the related protein TAB3 constitutively interact with the autophagy mediator Beclin-1; upon induction of autophagy, these proteins dissociate from Beclin-1 and bind TAK1. Overexpression of TAB2 and TAB3 inhibit

autophagy, while their depletion triggers it, suggesting that TAB2 and TAB3 act as a control point for autophagy.

TAB3 Antibody - References

Cheung PC, Nebreda AR, and Cohen P. TAB3, a new binding partner of the protein kinase TAK1. *Biochem. J.* 2004; 378:27-34.

Besse A, Lamothe B, Campos AD, et al. TAK1-dependent signaling requires functional interaction with TAB2/TAB3. *J. Biol. Chem.* 2007; 282:3918-28.

Criollo A, Niso-Santano M, Malik SA, et al. Inhibition of autophagy by TAB2 and TAB3. *EMBO J.* 2011; 30:4908-20.