

Slitrk5 Antibody

Catalog # ASC10644

Specification

Slitrk5 Antibody - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality

Isotype Application Notes WB, IHC, IF 094991

094991, 46397810 Human, Mouse, Rat

Rabbit Polyclonal

IgG

Slitrk5 antibody can be used for detection of Slitrk5 by Western blot at 0.5 - 1 μg/mL.

Antibody can also be used for

immunohistochemistry starting at 2.5 µg/mL. For immunofluorescence start at 5

μg/mL.

Slitrk5 Antibody - Additional Information

Gene ID **26050**

Target/Specificity

SLITRK5; This antibody is predicted to have no cross-reactivity to other Slitrk proteins.

Reconstitution & Storage

Slitrk5 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

Slitrk5 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Slitrk5 Antibody - Protein Information

Name SLITRK5

Synonyms KIAA0918, LRRC11

Function

Suppresses neurite outgrowth.

Cellular Location

Membrane; Single-pass type I membrane protein

Tissue Location

Expressed predominantly in the cerebral cortex of the brain but also at low levels in the spinal cord and medulla




Slitrk5 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Slitrk5 Antibody - Images




Western blot analysis of Slitrk5 in 3T3 cell lysate with Slitrk5 antibody at 1 μ g/mL in the (A) absence or (B) presence of blocking peptide.



Immunohistochemistry of Slitrk4 in human brain tissue with Slitrk4 antibody at 2.5 µg/mL.





Immunofluorescence of Slitrk5 in Human Brain cells with Slitrk5 antibody at 5 μg/mL.

Slitrk5 Antibody - Background

Slitrk5 Antibody: SLIT and NTRK-like family 5 (Slitrk5) is a member a protein family consisting of six homologous transmembrane proteins (Slitrk1-6) that share two conserved leucine-rich repeat domains in the extracellular domain and have significant homology to Slit, a secreted axonal growth-controlling protein. These proteins are also homologous to trk neurotrophin receptors in their intracellular domains. Expression of Slitrk proteins is highly restricted to neural and brain tumor tissues, but varies within the protein family. Like every other Slitrk protein except Slitrk1, overexpression of Slitrk5 inhibited neurite outgrowth in cultured neurons, suggesting that these proteins are involved in the control of neurite outgrowth.

Slitrk5 Antibody - References

Aruga J and Mikoshiba K. Identification and characterization of Slitrk, a novel transmembrane protein family controlling neurite outgrowth. Mol. Cell Neurosci.2003; 24:117-29. Aruga J, Yokota N, and Mikoshiba K. Human SLITRK family genes: genomic organization and expression profiling in normal and brain tumor tissue. Gene2003; 315:87-94.