

## **CLPH Antibody**

Catalog # ASC11021

## **Specification**

## **CLPH Antibody - Product Information**

Application
Primary Accession
Other Accession
Reactivity
Host

Clonality Isotype

**Application Notes** 

**WB, IHC** <u>Q96KC9</u>

NP 149113, 90652863

Human, Rat Rabbit Polyclonal

IgG

CLPH antibody can be used for detection of CLPH by Western blot at 1 µg/mL. Antibody

can also be used for

immunohistochemistry starting at 5

μg/mL.

# **CLPH Antibody - Additional Information**

Gene ID **85438** 

**Target/Specificity** 

C4orf35;

# **Reconstitution & Storage**

CLPH antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

#### **Precautions**

CLPH Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

### **CLPH Antibody - Protein Information**

Name CABS1

Synonyms C4orf35

#### Function

Calcium-binding protein (By similarity). Essential for maintaining the structural integrity of the sperm flagella (By similarity).

### **Cellular Location**

Cytoplasm {ECO:0000250|UniProtKB:Q68FX6}. Mitochondrion inner membrane {ECO:0000250|UniProtKB:Q68FX6}. Cell projection, cilium, flagellum {ECO:0000250|UniProtKB:Q8C633} Cytoplasmic vesicle, secretory vesicle, acrosome {ECO:0000250|UniProtKB:Q8C633}. Note=Mostly cytoplasmic, but associated with the

mitochondrial inner membrane during the last steps of spermatid differentiation. Localizes to the




principal piece of the sperm flagellum (By similarity). {ECO:0000250|UniProtKB:Q68FX6, ECO:0000250|UniProtKB:Q8C633}

## **CLPH Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### **CLPH Antibody - Images**



Western blot analysis of CLPH in human testis tissue lysate with CLPH antibody at 1 µg/mL.



Immunohistochemistry of CLPH in human testis tissue with CLPH antibody at 5 μg/mL.

### **CLPH Antibody - Background**

CLPH Antibody: CLPH (Casein-Like phosphoprotein) is a recently discovered, evolutionarily conserved, testis-specific cytoplasmic protein expressed exclusively in postmeiotic germ cells in rat spermatogenesis. CLPH is a novel casein kinase 2-phosphorylated disordered and calcium-binding protein that displays strong variation in relative expression levels during spermatogenesis. It is





Tel: 858.875.1900 Fax: 858.875.1999

frequently associated with the mitochondrial inner membrane during the last steps of spermatid differentiation and is involved in the extremely complex structural rearrangements occurring in haploid germ cells during spermiogenesis.

# **CLPH Antibody - References**

Calvel P, Kervarrec C, Lavigne R, et al. CLPH, a novel casein kinase 2-phosphorylated disordered protein, is specifically associated with postmeiotic germ cells in rat spermatogenesis. J. Proteome Res.2009; 8:2953-65.