

# **MYBPC1** Antibody

Catalog # ASC11087

# **Specification**

# **MYBPC1** Antibody - Product Information

Application
Primary Accession
Other Accession
Reactivity
Host
Clonality

**Application Notes** 

Isotype

IHC Q00872

NP 002456, 45976288

Human Rabbit Polyclonal

IqG

MYBPC1 antibody can be used for

detection of MYBPC1 by

immunohistochemistry at 5 μg/mL. For immunofluorescence start at 5 μg/mL.

# **MYBPC1** Antibody - Additional Information

Gene ID 4604

Target/Specificity MYBPC1:

#### **Reconstitution & Storage**

MYBPC1 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

#### **Precautions**

MYBPC1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

# **MYBPC1** Antibody - Protein Information

#### Name MYBPC1

#### **Synonyms** MYBPCS

### **Function**

Thick filament-associated protein located in the crossbridge region of vertebrate striated muscle a bands. Slow skeletal protein that binds to both myosin and actin (PubMed:<a href="http://www.uniprot.org/citations/31264822" target="\_blank">31264822</a>, PubMed:<a href="http://www.uniprot.org/citations/31025394" target="\_blank">31025394</a>). In vitro, binds to native thin filaments and modifies the activity of actin-activated myosin ATPase. May modulate muscle contraction or may play a more structural role.


# **MYBPC1** Antibody - Protocols



Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

#### **MYBPC1** Antibody - Images



Immunohistochemistry of MYBPC1 in human skeletal muscle tissue with MYBPC1 antibody at 5 µg/mL.

### MYBPC1 Antibody - Background

MYBPC1 Antibody: Myosin binding protein C (MYBPC) is a component of the thick filament of striated muscle, with the slow-type isoform designated MYBPC1. Both the fast-type (MYBPC2) and slow-type MYBPC protein contains seven immunoglobulin C2 motifs and three fibronectin type-III repeats. Multiple isoforms of MYBPC1 are known to exist, and are present in varying amounts in different skeletal muscles. It is thought that the MYBPC1 slow subfamily may play important roles in the assembly and stabilization of sarcomeric M- and A-bands and regulate the contractile properties of the actomyosin filaments.

#### **MYBPC1** Antibody - References

Furst DO, Vinkemeir U and Weber K. Mammalian skeletal muscle C-protein: purification from bovine muscle, binding to titin and the characterization of a full-length human cDNA. J. Cell Sci. 1992; 102:769-78.

Weber FE, Vaughan KT, Reiach FC, et al. Complete sequence of human fast-type and slow-type muscle myosin-binding-protein C (MyBP-C). Differential expression, conserved domain structure and chromosome assignment. Eur. J. Biochem. 1993; 216:661-9.

Ackermann MA and Kontrogianni-Konstantopoulous A. Myosin binding protein-C slow: an intricate subfamily of proteins. J. Biomed. Biotech. 2010; 2010:652065