

#### **SNRPN Antibody**

Catalog # ASC11916

### **Specification**

### **SNRPN Antibody - Product Information**

Application WB, IHC, IF Primary Accession P63164

Other Accession
Reactivity
Human, Mouse, Rat
Rabbit

Clonality Polyclonal Isotype IgG

Calculated MW Predicted: 26 kDa

Observed: 25 kDa KDa

Application Notes

SNRPN antibody can be used for detection of SNRPN by Western blot at 0.5 - 1 µg/mL.

Antibody can also be used for

immunohistochemistry starting at 5  $\mu g/mL$ . For immunofluorescence start at 20  $\mu g/mL$ .

# **SNRPN Antibody - Additional Information**

Gene ID 6638

**Target/Specificity** 

SNRPN; SNRPN antibody is human, mouse and rat reactive.

**Reconstitution & Storage** 

SNRPN antibody can be stored at 4°C for three months and -20°C, stable for up to one year.

**Precautions** 

SNRPN Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

## **SNRPN Antibody - Protein Information**

Name Snrpn

**Synonyms** Smn

**Function** 

May be involved in tissue-specific alternative RNA processing events.

**Cellular Location** 

Nucleus.

**Tissue Location** 

Brain specific.




## **SNRPN Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **SNRPN Antibody - Images**




Western blot analysis of SNRPN in THP-1 cell lysate with SNRPN antibody at (A) 0.5 and (B) 1  $\mu$ g/ml.



Immunohistochemistry of SNRPN in human spleen tissue with SNRPN antibody at 5 μg/mL.





Immunofluorescence of SNRPN in human spleen tissue with SNRPN antibody at 20  $\mu g/mL$ .

#### **SNRPN Antibody - Background**

The small nuclear riboprotein-associated protein N (SNRPN) is one polypeptide of a small nuclear ribonucleoprotein complex and belongs to the snRNP SMB/SMN family. SNRPN plays a role in pre-mRNA processing and alternative splicing (1). SNRPN arises from a bicistronic transcript that also encodes a protein identified as the SNRPN upstream reading frame (SNURF) (2). Mutations or deletions in the SNRPN gene may be linked to responsible for Angelman syndrome or Prader-Willi syndrome (3).

## **SNRPN Antibody - References**

Ozcelik T, Leff S, Robinson W, et al. Small nuclear ribonucleoprotein polypeptide N (SNRPN), an expressed gene in the Prader-Willi syndrome critical region. Nat. Genet. 1992; 2:265-9. Gray TA, Saitoh S, and Nicholls RD. An imprinted, mammalian bicistronic transcript encodes two independent proteins. Proc. Natl. Acad. Sci. USA 1999; 96:5616-21. Chen Y, Liu YJ, Pei YF, et al. Copy number variations at the Prader-Willi syndrome region on chromosome 15 and associations with obesity in whites. Obesity 2011; 19:1229-34.