

### Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1150

#### **Specification**

### Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody - Product Information

Description Anti-Mouse IgG F(c) (GOAT) Antibody (Min

X Bovine, Horse and Human Serum

Proteins)

Host Goat

Conjugate Unconjugated

Target Species Mouse
Clonality Polyclonal
Application ,1,10,15,

Application Note ELISA 1:450,000; Western Blot

1:5,000-1:50,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG
Target Isotype IgG F(c)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Mouse IgG F(c) fragment

Species of Origin
Stabilizer
None

Preservative 0.01% (w/v) Sodium Azide

# Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody - Additional Information

#### **Shipping Condition**

Wet Ice

#### **Purity**

Anti-Mouse IgG F(c) was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Mouse IgG F(c) and Mouse Serum. No reaction was observed against Mouse IgG F(ab')2 or Bovine, Horse and Human Serum Proteins.

### **Storage Condition**

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody - Protein Information



# Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody - Images

### Anti-Mouse IgG F(c) Pre-Adsorbed Secondary Antibody - Background

Mouse IgG F(c) antibody recognizes the F(c) portion of mouse IgG. Mouse IgG F(c) was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Anti-Mouse IgG F(c) antibody is ideal for investigators involved in serum component protein research.