

Fab Anti-Rabbit IgG (H&L) Secondary Antibody Goat Polyclonal, Unconjugated

Catalog # ASR1249

Specification

Fab Anti-Rabbit IgG (H&L) Secondary Antibody - Product Information

Description

- Host Conjugate Target Species Clonality Application Application Note
- Physical State Host Isotype Target Isotype Buffer
- Immunogen Stabilizer Preservative

F(ab) Anti-RABBIT IgG (H&L) (GOAT) Antibody Goat Unconjugated Rabbit Polyclonal ,1,10,15, ELISA 1:4,000-1:20,000;Western Blot 1:2,000-1:10,000;Immunochemistry 1:1,000-1:5,000 Liquid (sterile filtered) lgG F(ab) IgG (H&L) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Rabbit IgG whole molecule None 0.01% (w/v) Sodium Azide

Fab Anti-Rabbit IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition Wet Ice

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, papain digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum. No reaction was observed against anti-Papain or anti-Goat IgG F(c).

Storage Condition

Store vial at 4° C prior to opening. This product is stable at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note This product is for research use only and is not intended for therapeutic or diagnostic applications.

Fab Anti-Rabbit IgG (H&L) Secondary Antibody - Protein Information



Fab Anti-Rabbit IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Fab Anti-Rabbit IgG (H&L) Secondary Antibody - Images