10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Donkey IgG (H&L) Secondary Antibody
Goat Polyclonal, Unconjugated
Catalog # ASR1375

Specification

Anti-Donkey IgG (H&L) Secondary Antibody - Product Information

Description	**Anti-DONKEY IgG (H&L) (GOAT) Antibody**
Host	**Goat**
Conjugate	**Unconjugated**
Target Species	**Donkey**
Clonality	**Polyclonal**
Application	**,1,10,15,**
Application Note	**ELISA 1:20,000-1:100,000;Western Blot 1:2,000-1:10,000;Immunochemistry 1:1,000-1:5,000**
Physical State	**Lyophilized**
Host Isotype	**Antiserum**
Target Isotype	**IgG (H&L)**
Buffer	**0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2**
Immunogen	**Donkey IgG whole molecule**
Reconstitution Volume	**2.0 mL**
Reconstitution Buffer	**Restore with deionized water (or equivalent)**
Stabilizer	**None**
Preservative	**0.01% (w/v) Sodium Azide**

Anti-Donkey IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition
Ambient

Purity
This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against Donkey IgG and Donkey Serum.

Storage Condition
Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note
This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Donkey IgG (H&L) Secondary Antibody - Protein Information

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Donkey IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Donkey IgG (H&L) Secondary Antibody - Images