

# Anti-Chicken IgG (H&L) Secondary Antibody

Goat Polyclonal, Unconjugated Catalog # ASR1384

### **Specification**

## Anti-Chicken IgG (H&L) Secondary Antibody - Product Information

Description Anti-CHICKEN IgG (H&L) (GOAT) Antibody

Host Goat

Conjugate
Target Species
Clonality
Application

Unconjugated
Chicken
Polyclonal
,1,10,15,

Application Note ELISA 1:20,000-1:100,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Chicken IgG whole molecule

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

## Anti-Chicken IgG (H&L) Secondary Antibody - Additional Information

## **Shipping Condition**

Wet Ice

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Chicken IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Chicken IgG and Chicken Serum.

### **Storage Condition**


Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## Anti-Chicken IgG (H&L) Secondary Antibody - Protein Information

# Anti-Chicken IgG (H&L) Secondary Antibody - Protocols





Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Chicken IgG (H&L) Secondary Antibody - Images