

# Anti-Mouse IgG F(c) Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1619

### **Specification**

## Anti-Mouse IgG F(c) Secondary Antibody - Product Information

Description Anti-MOUSE IgG F(c) (RABBIT) Antibody

Host Rabbit

Conjugate Unconjugated

Target Species Mouse
Reactivity Mouse
Clonality Polyclonal
Application ,1,10,15,

Application Note ELISA 1:40,000-1:180,000; Western Blot

1:2,000-1:10,000;Immunochemistry

1:1,000-1:5,000

Physical State Liquid (sterile filtered)

Host Isotype IgG
Target Isotype IgG F(c)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Anti-Mouse IgG F(c) was produced by

repeated immunization with mouse IgG

F(c) fragment in rabbit.

Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

# Anti-Mouse IgG F(c) Secondary Antibody - Additional Information

### **Shipping Condition**

Wet Ice

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Mouse IgG, Mouse IgG F(c) and Mouse Serum. No reaction was observed against Mouse IgG F(ab')2.

#### **Storage Condition**

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

#### Anti-Mouse IgG F(c) Secondary Antibody - Protein Information



# **Anti-Mouse IgG F(c) Secondary Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# Anti-Mouse IgG F(c) Secondary Antibody - Images

## Anti-Mouse IgG F(c) Secondary Antibody - Background

Anti-Mouse IgG F(c) antibody generated in rabbit detects specifically mouse IgG. This secondary antibody anti-Mouse is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.