10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Ferret IgM (mu chain) Secondary Antibody
Goat Polyclonal, Unconjugated
Catalog # ASR1732

Specification

Anti-Ferret IgM (mu chain) Secondary Antibody - Product Information

Description	**Anti-FERRET IgM (mu chain) (GOAT) Antibody**
Host	**Goat**
Conjugate	**Unconjugated**
Target Species	**Ferret**
Clonality	**Polyclonal**
Application	**,1,10,15,**
Application Note	**ELISA 1:2,000-1:10,000;Western Blot 1:500-1:2,000;Immunochemistry 1:200-1:1,000**
Physical State	**Liquid (sterile filtered)**
Host Isotype	**IgG**
Target Isotype	**IgM µ chain**
Buffer	**0.125 M Sodium Borate, 0.075 M Sodium Chloride, 0.005 M EDTA, pH 8.0**
Immunogen	**Ferret IgM mu heavy chain**
Stabilizer	**None**
Preservative	**0.01% (w/v) Sodium Azide**

Anti-Ferret IgM (mu chain) Secondary Antibody - Additional Information

Shipping Condition
Wet Ice

Purity
This product was prepared from monospecific antiserum by immunoaffinity chromatography using Ferret IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Ferret IgM and Ferret Serum. No reaction was observed against Ferret IgG or Ferret IgA. Specificity was confirmed by ELISA at less than 1% cross reactivity against other Ferret heavy or light chain isotypes.

Storage Condition
Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note
This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Ferret IgM (mu chain) Secondary Antibody - Protein Information

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-Ferret IgM (mu chain) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Ferret IgM (mu chain) Secondary Antibody - Images