

# Human IgM (myeloma) Fab μ Peroxidase

Catalog # ASR1742

### Specification

## Human IgM (myeloma) Fab $\mu$ Peroxidase - Product Information

Description

Conjugate Physical State Host Isotype Buffer

Species of Origin Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

HUMAN IgM (myeloma) F(ab) μ fragment Peroxidase conjugated Peroxidase (Horseradish) Lyophilized IgM 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Human 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -Immunoglobulin and Protease free None

## Human IgM (myeloma) Fab μ Peroxidase - Additional Information

Shipping Condition Ambient

#### **Purity**

This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by enzyme digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Human IgM, anti-Human IgG F(ab')2 and anti-Human Serum. No reaction was observed against anti-Human IgG F(c).

### Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

## Human IgM (myeloma) Fab µ Peroxidase - Protein Information

## Human IgM (myeloma) Fab µ Peroxidase - Protocols

Provided below are standard protocols that you may find useful for product applications.



- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Human IgM (myeloma) Fab µ Peroxidase - Images