

Anti-Human IgM (Fc5u) Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR1790

Specification

Anti-Human IgM (Fc5u) Secondary Antibody - Product Information

Description Host Conjugate Target Species Clonality Application Application Note	Anti-HUMAN IgM (Fc5u) (RABBIT) Antibody Rabbit Unconjugated Human Polyclonal ,1,10,15, ELISA 1:40,000-1:160,000;Western Blot 1:500-1:3,000;Immunochemistry 1:500-1:3,000
Physical State Host Isotype Target Isotype Buffer Immunogen	Liquid (sterile filtered) IgG IgM Fc5 μ 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Anti-Human IgM Fc5 μ was produced by repeated immunization with Human IgM
Stabilizer Preservative	Fc5 μ fragment in rabbit. None 0.01% (w/v) Sodium Azide

Anti-Human IgM (Fc5u) Secondary Antibody - Additional Information

Shipping Condition Wet Ice

Purity

Human IgM Fc5 μ Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Human IgM and Human Serum. No reaction was observed against Human IgG or Human IgA.

Storage Condition

Store vial at 4° C prior to opening. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Human IgM (Fc5u) Secondary Antibody - Protein Information



Anti-Human IgM (Fc5u) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Human IgM (Fc5u) Secondary Antibody - Images

Anti-Human IgM (Fc5u) Secondary Antibody - Background

Anti-Human IgM Fc5 μ antibody generated in rabbit detects specifically human IgM. This anti-human IgM secondary antibody is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.