

#### F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody

Rabbit Polyclonal, Texas Red® Catalog # ASR1964

## **Specification**

# F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Product Information

Description F(ab')2 Anti-GOAT IgG [H&L]

(RABBIT) Antibody Texas Red™

Host Rabbit Conjugated Texas Red® Target Species Goat

Clonality
Physical State
Host Isotype
Target Species
Clonality
Polyclonal
Lyophilized
IgG F(ab')2
IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Immunogen Goat IgG whole molecule

Reconstitution Volume 500 μL

Reconstitution Buffer Restore with deionized water (or equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

**Immunoglobulin and Protease free** 

Preservative 0.01% (w/v) Sodium Azide

# F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Additional Information

#### **Shipping Condition**

**Ambient** 

### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Goat IgG and Goat Serum. No reaction was observed against anti-Pepsin or anti-Rabbit IgG F(c).

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.





# F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Protein Information

# F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Images

F(ab')2 Anti-Goat IgG (H&L) (Texas Red™ Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.