

# F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody

**Goat Polyclonal, Rhodamine (TRITC)** Catalog # ASR1978

#### **Specification**

Host

Conjugate

Immunogen

Preservative

Reconstitution Volume

Reconstitution Buffer

## F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody - Product **Information**

Description F(ab')2 Anti-RAT IgG [H&L] (GOAT)

**Antibody Rhodamine Conjugated** 

Goat

**Rhodamine (TRITC)** 

Rat

**Target Species** Clonality **Polyclonal Physical State** Lyophilized Host Isotype IgG F(ab')2 Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

> Sodium Chloride, pH 7.2 Rat IgG whole molecule

500 µL

Restore with deionized water (or

equivalent)

10 mg/mL Bovine Serum Albumin (BSA) -Stabilizer

Immunoglobulin and Protease free

0.01% (w/v) Sodium Azide

## F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody - Additional Information

#### **Shipping Condition**

**Ambient** 

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Rat IgG and Rat Serum. No reaction was observed against anti-Pepsin or anti-Goat IgG F(c).

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

#### F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody - Protein



#### **Information**

## F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody - Images

F(ab')2 Anti-Rat IgG (H&L) (Rhodamine Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.