

### Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody Chicken Polyclonal, Texas Red<sup>®</sup> Catalog # ASR2160

## Specification

## Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody - Product Information

Description

Host Conjugate FP Value Target Species Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

Anti-GOAT IgG (H&L) (CHICKEN) Antibody **Texas Red™ Conjugated** Chicken **Texas Red**® 5.0 moles Texas Red® per mole of IgG Goat Polyclonal ,3,4, FLISA 1:10,000-1:50,000;IF Microscopy 1:1,000-1:5,000;FlowCytometry 1:500-1:2.500 Lvophilized laG IgG (H&L) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Goat IgG whole molecule 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -Immunoglobulin and Protease free 0.01% (w/v) Sodium Azide

# Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Chicken Serum, Goat IgG and Goat Serum.

#### Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



# Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody - Protein Information

## Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

# Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody - Images

## Anti-Goat IgG (H&L) (Texas Red<sup>™</sup> Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.