

## Bovine IgG F(ab')2 Rhodamine

Catalog # ASR2257

#### **Specification**

## **Bovine IgG F(ab')2 Rhodamine - Product Information**

Description BOVINE IgG F(ab')2 fragment

Conjugate Rhodamine conjugated Rhodamine (TRITC)

FP Value 4.0 moles Rhodamine (TRITC) per mole of

Bovine IgG F(ab')2

Physical State
Host Isotype
Lyophilized
IgG F(ab')2

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Species of Origin
Reconstitution Volume

Bovine
1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/ml Polyethylene Glycol (PEG-8000)

Preservative 0.01% (w/v) Sodium Azide

## **Bovine IgG F(ab')2 Rhodamine - Additional Information**

### **Shipping Condition**

**Ambient** 

#### **Purity**

This product was prepared from normal serum by delipidation, salt fractionation, ion exchange chromatography followed by papain digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Bovine  $\lg G$ , anti-Bovine  $\lg G$  F(ab')2 and anti-Bovine Serum. No reaction was observed against anti-Bovine  $\lg G$  F(c) or anti-Papain.

### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

## **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

### Bovine IgG F(ab')2 Rhodamine - Protein Information

# **Bovine IgG F(ab')2 Rhodamine - Protocols**





Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Bovine IgG F(ab')2 Rhodamine - Images

Bovine IgG F(ab')2 Rhodamine - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.