

Fab Anti-Guinea Pig IgG (H&L) (Biotin Conjugated) Secondary Antibody Goat Polyclonal, Biotin

Catalog # ASR2287

Specification

Fab Anti-Guinea Pig IgG (H&L) (Biotin Conjugated) Secondary Antibody - Product Information

Description Host Conjugate Target Species Clonality Application Application Note	F(ab) Anti-GUINEA PIG IgG (H&L) (GOAT) Antibody Biotin Conjugated Goat Biotin Guinea Pig Polyclonal ,1,2,10, ELISA 1:132,000;Western Blot 1:2,000-1:10,000;Immunohistochemistry 1:1,000-1:5,000
Physical State	Lyophilized
Host Isotype	lgG F(ab)
Target Isotype	lgG (H&L)
Buffer	0.02 M Potassium Phosphate, 0.15 M
	Sodium Chloride, pH 7.2
Immunogen	Guinea Pig IgG whole molecule
Reconstitution Volume	1.0 mL
Reconstitution Buffer	Restore with deionized water (or
	equivalent)
Stabilizer	10 mg/mL Bovine Serum Albumin (BSA) -
	Immunoglobulin and Protease free
Preservative	0.01% (w/v) Sodium Azide

Fab Anti-Guinea Pig IgG (H&L) (Biotin Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Guinea Pig IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, papain digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin and anti-Goat Serum. No reaction was observed against anti-Papain or anti-Goat IgG F(c).

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note



This product is for research use only and is not intended for therapeutic or diagnostic applications.

Fab Anti-Guinea Pig IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protein Information

Fab Anti-Guinea Pig IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Fab Anti-Guinea Pig IgG (H&L) (Biotin Conjugated) Secondary Antibody - Images