

RAT IgG2a Lambda (λ) isotype control Secondary Antibody

Rat Lewis Monoclonal RG2aL IgG2a lambda . Unconjugated Catalog # ASR2537

Specification

RAT IgG2a Lambda (λ) isotype control Secondary Antibody - Product Information

RAT IgG2a Lambda (λ) isotype control Description

Host

Conjugate Unconjugated **Monoclonal** Clonality ,4,

Application

Application Note FlowCytometry 1:1000-1:5000 **Liquid (sterile filtered)** Physical State

Host Isotype

Buffer 0.02 M Potassium Phosphate, 0.5 M

Sodium Chloride, pH 7.2

Species of Origin Stabilizer None

Preservative 0.01% (w/v) Sodium Azide

RAT IgG2a Lambda (λ) isotype control Secondary Antibody - Additional Information

Shipping Condition

Wet Ice

RAT IgG2a Lambda isotype control has been prepared from concentrated cell culture supernatant by immunoaffinity chromatography using protein G. In an Ouchterlony double diffusion assay the material is non-reactive with antisera to rat IgG1a, IgG1b, IgG3, IgM, and IgA. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rat IgG and anti-Rat serum. Light and heavy chain composition has been confirmed.

Storage Condition

Store vial at 4° C prior to opening. This product is stable 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage mix with an equal volume of glycerol, aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

RAT IgG2a Lambda (λ) isotype control Secondary Antibody - Protein Information

RAT IgG2a Lambda (λ) isotype control Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.





• Western Blot

- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

RAT IgG2a Lambda (λ) isotype control Secondary Antibody - Images

RAT IgG2a Lambda (λ) isotype control Secondary Antibody - Background

RAT IgG2a Lambda isotype control is used in flow cytometry, western blot and ELISA and differentiate between immunoglobulin classes and subclasses. Isotype controls allow for the genetic variations or differences in the constant regions of the heavy and light chains. In Rat there are six relevant heavy chain isotypes and two light chain isotypes: heavy chain a - IgA, ? - IgG 1, 2a, 2b, 2c and μ - IgM, light chain ? and ?.