

Bovine IgG F(ab')2 Biotin

Catalog # ASR2553

Specification

Bovine IgG F(ab')2 Biotin - Product Information

Description **BOVINE IgG F(ab')2 fragment Biotin**

> conjugated **Biotin**

Conjugate **Physical State** Lvophilized Host Isotype IgG F(ab')2 Buffer

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Species of Origin **Bovine** Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/ml Polyethylene Glycol (PEG-8000)

Preservative 0.01% (w/v) Sodium Azide

Bovine IgG F(ab')2 Biotin - Additional Information

Shipping Condition

Ambient

Purity

This product was prepared from normal serum delipidation, salt fractionation, ion exchange chromatography followed by pepsin digestion and extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Bovine IgG, anti-Bovine IgG F(ab')2 and anti-Bovine Serum. No reaction was observed against anti-Bovine IgG F(c) or anti-Pepsin.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.


Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Bovine IgG F(ab')2 Biotin - Protein Information

Bovine IgG F(ab')2 Biotin - Protocols

Provided below are standard protocols that you may find useful for product applications.





• Western Blot

- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Bovine IgG F(ab')2 Biotin - Images