

Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody

Rabbit Polyclonal, Peroxidase (Horseradish) Catalog # ASR2624

Specification

Description

Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody -Product Information

-
Host
Conjugate
Target Species
Clonality
Application

Physical State Host Isotype Target Isotype Buffer

Application Note

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

Anti-GOAT IgG F(ab')2 (RABBIT) Antibody Peroxidase Conjugated (Min X Human Serum Proteins) Rabbit **Peroxidase (Horseradish)** Goat Polyclonal ,1,10,15, ELISA 1:10,000-1:50,000;Western Blot 1:1,000-1:10,000;Immunochemistry 1:500-1:2,500 Lyophilized lqG IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Goat IgG F(ab')2 fragment 1.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -**Immunoglobulin and Protease free** 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody -Additional Information

Shipping Condition Ambient

Purity

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Goat IgG, Goat IgG F(ab')2 and Goat Serum. No reaction was observed against Goat IgG F(c) or Human Serum Proteins.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.



Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody -Protein Information

Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody -Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Goat IgG F(ab')2 (Peroxidase Conjugated) Pre-Adsorbed Secondary Antibody -Images