

# Anti-Human IgG (H&L) (Biotin Conjugated) Secondary Antibody

Mouse Polyclonal, Biotin Catalog # ASR2695

#### **Specification**

### Anti-Human IgG (H&L) (Biotin Conjugated) Secondary Antibody - Product Information

Description Anti-HUMAN IgG (H&L) (MOUSE) Antibody

**Biotin Conjugated** 

Host Mouse Conjugate Biotin

FP Value 10-20 moles Biotin per mole of IgG

Target Species
Reactivity
Human
Clonality
Application
Human
Polyclonal
,1,10,15,

Application Note ELISA 1:50,000-1:300,000; Western Blot

1:500-1:5,000;Immunochemistry

Physical State
Host Isotype

1:500-1:5,000
Lyophilized
IgG

Target Isotype Ig

Target Isotype IgG (H&L)
Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2 Human IgG whole molecule

Reconstitution Volume 1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

#### Anti-Human IgG (H&L) (Biotin Conjugated) Secondary Antibody - Additional Information

### **Shipping Condition**

**Ambient** 

Immunogen

#### **Purity**

This product was prepared from monospecific polyclonal ascites by immunoaffinity chromatography using Human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Mouse Serum, Human IgG and Human Serum.

## **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



# Anti-Human IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protein Information

## Anti-Human IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Human IgG (H&L) (Biotin Conjugated) Secondary Antibody - Images