

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary Antibody

Goat Polyclonal, Rhodamine (TRITC)
Catalog # ASR2829

Specification

Host

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary Antibody - Product Information

Description F(ab')2 Anti-MOUSE IgG IgA IgM

(H&L) (GOAT) Antibody Rhodamine

Conjugated Min X Human Serum Proteins

Goat

Conjugate Rhodamine (TRITC)

FP Value 15 moles Rhodamine (TRITC) per mole of

IgG F(ab')2

Target Species Mouse Clonality Polyclonal

Application ,3,

Application Note FLISA 1:10,000-1:50,000;IF Microscopy

1:1,000-1:5,000;FlowCytometry

Physical State
Host Isotype
Target Isotype

1:500-1:2,500
Lyophilized
IgG F(ab')2
IgG IgA IgM

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen Mouse IgG IgA and IgM whole molecule

1.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary Antibody - Additional Information

Shipping Condition

Reconstitution Volume

Ambient

Purity

This product was prepared from polyspecific antiserum by immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum. No reaction was observed against anti-Goat IgG F(c), anti-Pepsin or Human Serum Proteins. This product is suitable for the detection of all Mouse immunoglobulin classes, isotypes and chain combinations.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C



Tel: 858.875.1900 Fax: 858.875.1999

or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary **Antibody - Protein Information**

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary **Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary **Antibody - Images**

F(ab')2 Anti-Mouse IgG IgA IgM (H&L) (Rhodamine Conjugated) Pre-Adsorbed Secondary **Antibody - Background**

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.