

# Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody

Goat Polyclonal, Biotin Catalog # ASR3327

### **Specification**

## Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Product Information

Description

Biotin Conjugated Affinity Purified
Anti-RABBIT IgG (H&L) (GOAT)

Host
Conjugate
Biotin
Target Species
Reactivity
Relocativity
Clonality
Physical State

Goat
Biotin
Rabbit
Rabbit
Rabbit
Lyophilized

Host Isotype IgG

Target Isotype IgG (H&L)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2
Rabbit IgG whole molecule

Reconstitution Volume 2.5 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.1% (w/v) Sodium Azide

#### Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Additional Information

# **Shipping Condition**

**Ambient** 

Immunogen

#### **Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, Rabbit IgG and Rabbit Serum.

### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

#### Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protein Information



# Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Rabbit IgG (H&L) (Biotin Conjugated) Secondary Antibody - Images