

#### Anti-Cat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody Rabbit Polyclonal, Peroxidase (Horseradish)

Catalog # ASR3350

## Specification

# Anti-Cat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Product Information

Description

Host Conjugate Target Species Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Stabilizer

Preservative

Anti-CAT IgG (H&L) (RABBIT) Antibody **Peroxidase Conjugated** Rabbit **Peroxidase (Horseradish)** Cat Polyclonal ,1,10,15, ELISA 1:10,000-1:50,000;Western Blot 1:1,000-1:10,000;Immunochemistry 1:500-1:2.500 Lyophilized laG IaG (H&L) 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Cat IgG whole molecule 2.0 mL Restore with deionized water (or equivalent) 10 mg/mL Bovine Serum Albumin (BSA) -**Immunoglobulin and Protease free** None

# Anti-Cat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

#### **Purity**

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Cat IgG and Cat Serum.

### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



# Anti-Cat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Protein Information

## Anti-Cat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Cat IgG (H&L) (Peroxidase Conjugated) Secondary Antibody - Images