

Anti-Mouse IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody Rabbit Polyclonal, Peroxidase (Horseradish)

Catalog # ASR3401

Specification

Anti-Mouse IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody - Product Information

D		
Descr	iption	

Host Conjugate Target Species Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Reconstitution Volume Reconstitution Buffer

Preservative

Anti-MOUSE lgG F(ab')2 (RABBIT) **Antibody Peroxidase Conjugated** Rabbit Peroxidase (Horseradish) Mouse Polyclonal ,1,10,15, ELISA 1:10,000-1:50,000;Western Blot 1:1,000-1:10,000;Immunochemistry 1:500-1:2,500 Lyophilized laG IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Mouse IgG F(ab')2 fragment 2.0 mL Restore with deionized water (or equivalent) 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Anti-Mouse IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

Purity

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Mouse IgG, Mouse IgG F(ab')2 and Mouse Serum. No reaction was observed against Mouse IgG F(c).

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.



Anti-Mouse IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody - Protein Information

Anti-Mouse IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Mouse IgG F(ab')2 (Peroxidase Conjugated) Secondary Antibody - Images