

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody Rabbit Polyclonal, Fluorescein (FITC) Catalog # ASR3429

Specification

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Product Information

Host Conjugate FP Value Target Species Clonality Application Application Note	F(ab')2 Anti-CAT IgG F(ab')2 RABBIT) Antibody Fluorescein Conjugated Rabbit Fluorescein (FITC) 3.5 moles Fluorescein (FITC) per mole of gG F(ab')2 Cat Polyclonal 3,4, FLISA 1:10,000-1:50,000;IF Microscopy L:1,000-1:5,000;FlowCytometry L:500-1:2,500
Physical StateLHost IsotypeITarget IsotypeIBufferS	yophilized IgG F(ab')2 IgG F(ab')2 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reconstitution Volume 2 Reconstitution Buffer	Cat IgG F(ab')2 fragment 2.0 mL Restore with deionized water (or
Stabilizer	equivalent) 10 mg/mL Bovine Serum Albumin (BSA) - mmunoglobulin and Protease free 0.01% (w/v) Sodium Azide

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Additional Information

Shipping Condition Ambient

Purity

This product is a F(ab')2 fragment of an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pepsin digestion followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Rabbit Serum, Cat IgG, Cat IgG F(ab')2 and Cat Serum. No reaction was observed against Cat IgG F(c), anti-Rabbit IgG F(c) or anti-Pepsin.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted



liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Protein Information

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- <u>Cell Culture</u>

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Images

F(ab')2 Anti-Cat IgG F(ab')2 (Fluorescein Conjugated) Secondary Antibody - Background

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.