

# Anti-Donkey IgG (H&L) Secondary Antibody

Rabbit Polyclonal, Unconjugated Catalog # ASR3551

## Specification

# Anti-Donkey IgG (H&L) Secondary Antibody - Product Information

Description Host Conjugate Target Species Clonality Application Application Note

Physical State Host Isotype Target Isotype Buffer

Immunogen Species of Origin Reconstitution Volume Reconstitution Buffer

Stabilizer Preservative Anti-DONKEY IgG (H&L) (RABBIT) Antibody Rabbit Unconjugated Donkey Polyclonal ,1,2,10, ELISA 1:20,000-1:100,000;Western Blot 1:2,000-1:10,000;Immunohistochemistry 1:1,000-1:5,000 Lyophilized laG IaG (H&L) 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Donkey IgG whole molecule Donkey 5.0 mL Restore with deionized water (or equivalent) None 0.01% (w/v) Sodium Azide

## Anti-Donkey IgG (H&L) Secondary Antibody - Additional Information

Shipping Condition Ambient

#### Purity

Anti-DONKEY IgG (H&L) (RABBIT) Antibody is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Donkey IgG and Donkey Serum.

#### **Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.



# Anti-Donkey IgG (H&L) Secondary Antibody - Protein Information

## Anti-Donkey IgG (H&L) Secondary Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Donkey IgG (H&L) Secondary Antibody - Images

## Anti-Donkey IgG (H&L) Secondary Antibody - Background

Rabbit-Anti-DONKEY IgG (H&L) Antibody generated in rabbit detects specifically donkey IgG whole molecule. Anti-Donkey IgG antibody is ideal for investigators involved in serum rotein component research.