10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ALG12 Antibody (monoclonal) (M06)

Mouse monoclonal antibody raised against a partial recombinant ALG12.
Catalog # AT1120a

Specification

ALG12 Antibody (monoclonal) (M06) - Product Information

Application	**WB, E**
Primary Accession	Q9BV10
Other Accession	NM_024105
Reactivity	**Human, Rat**
Host	**mouse**
Clonality	**Monoclonal**
Isotype	**IgG1 Kappa**
Calculated MW	**54655**

ALG12 Antibody (monoclonal) (M06) - Additional Information

Gene ID 79087

Other Names
Dol-P-Man:Man(7)GlcNAc(2)-PP-Dol alpha-1, 6-mannosyltransferase, Asparagine-linked glycosylation protein 12 homolog, hALG12, Dolichyl-P-Man:Man(7)GlcNAc(2)-PP-dolichyl-alpha-1, 6-mannosyltransferase, Mannosyltransferase ALG12 homolog, Membrane protein SB87, ALG12

Target/Specificity
ALG12 (NP_077010, 369 a.a. ~ 425 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution
WB~~1:500~1000

Format
Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage
Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions
ALG12 Antibody (monoclonal) (M06) is for research use only and not for use in diagnostic or therapeutic procedures.

ALG12 Antibody (monoclonal) (M06) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


ALG12 Antibody (monoclonal) (M06) - Images



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (32.01 KDa) .




ALG12 monoclonal antibody (M06), clone 5E3 Western Blot analysis of ALG12 expression in HeLa ((Cat # AT1120a)



10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ALG12 monoclonal antibody (M06), clone 5E3. Western Blot analysis of ALG12 expression in PC-12 ((Cat # AT1120a)



Detection limit for recombinant GST tagged ALG12 is approximately 0.3ng/ml as a capture antibody.

ALG12 Antibody (monoclonal) (M06) - Background

This gene encodes a member of the glycosyltransferase 22 family. The encoded protein catalyzes the addition of the eighth mannose residue in an alpha-1,6 linkage onto the dolichol-PP-oligosaccharide precursor (dolichol-PP-Man(7)GlcNAc(2)) required for protein glycosylation. Mutations in this gene have been associated with congenital disorder of glycosylation type Ig (CDG-Ig)characterized by abnormal N-glycosylation.

ALG12 Antibody (monoclonal) (M06) - References

Large-scale cDNA transfection screening for genes related to cancer development and progression. Wan D, et al. Proc Natl Acad Sci U S A, 2004 Nov 2. PMID 15498874.The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection (MGC). Gerhard DS, et al. Genome Res, 2004 Oct. PMID 15489334.A genome annotation-driven approach to cloning the human ORFeome. Collins JE, et al. Genome Biol, 2004. PMID 15461802.Congenital disorders of glycosylation: a booming chapter of pediatrics. Jaeken J, et al. Curr Opin Pediatr, 2004 Aug. PMID 15273506.Congenital disorders of glycosylation (CDG): update and new developments. Jaeken J. J Inherit Metab Dis, 2004. PMID 15272470.