10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ARHGDIA Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant ARHGDIA.
Catalog # AT1181a

Specification

ARHGDIA Antibody (monoclonal) (M01) - Product Information

Application	**E**
Primary Accession	P52565
Other Accession	BC016031
Reactivity	**Human**
Host	**mouse**
Clonality	**Monoclonal**
Isotype	**IgG1 Kappa**
Calculated MW	**23207**

ARHGDIA Antibody (monoclonal) (M01) - Additional Information

Gene ID 396

Other Names
Rho GDP-dissociation inhibitor 1, Rho GDI 1, Rho-GDI alpha, ARHGDIA, GDIA1

Target/Specificity
ARHGDIA (AAH16031, 1 a.a. ~ 204 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Format
Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage
Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions
ARHGDIA Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

ARHGDIA Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Cell Culture

ARHGDIA Antibody (monoclonal) (M01) - Images



Detection limit for recombinant GST tagged ARHGDIA is approximately 0.3ng/ml as a capture antibody.

ARHGDIA Antibody (monoclonal) (M01) - Background

Aplysia Ras-related homologs (ARHs), also called Rho genes, belong to the RAS gene superfamily encoding small guanine nucleotide exchange (GTP/GDP) factors. The ARH proteins may be kept in the inactive, GDP-bound state by interaction with GDP dissociation inhibitors, such as ARHGDIA (Leffers et al., 1993 [PubMed 8262133]).

ARHGDIA Antibody (monoclonal) (M01) - References

Serine 34 phosphorylation of rho guanine dissociation inhibitor (RhoGDIalpha) links signaling from conventional protein kinase C to RhoGTPase in cell adhesion. Dovas A, et al. J Biol Chem, 2010 Jul 23. PMID 20472934.Regulation of Rho GTPase crosstalk, degradation and activity by RhoGDI1. Boulter E, et al. Nat Cell Biol, 2010 May. PMID 20400958.Sex-specific proteome differences in the anterior cingulate cortex of schizophrenia. Martins-de-Souza D, et al. J Psychiatr Res, 2010 Apr 8. PMID 20381070.Gain of miR-151 on chromosome 8q24.3 facilitates tumour cell migration and spreading through downregulating RhoGDIA. Ding J, et al. Nat Cell Biol, 2010 Apr. PMID 20305651.Rho GDP dissociation inhibitor alpha expression correlates with the outcome of CMF treatment in invasive ductal breast cancer. Ronneburg H, et al. Int J Oncol, 2010 Feb. PMID 20043072.